



Reply under 37 CFR 1.116  
Expedited Procedure  
Technology Center 1700

DOCKET NO. 114174.0000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 09/647,279  
Applicant: Iijima, Kazumi  
Title: GASKET FOR PRE-FILLED SYRINGE AND PRE-FILLED SYRINGE  
Filed: July 18, 2001  
Art Unit: 1772  
Examiner: Aughenbach, Walter

Confirmation No.: 5027

Atty Docket: 114174.00001

Customer No. 38492

I certify that this correspondence, along with any documents referred to therein, is being <transmitted by facsimile on November, 17 2003 to Art Unit 1772 at FAX no. 703-872-9311 / deposited with the United States Postal Service on November, 17 2003 as First Class Mail in an envelope with sufficient postage addressed to <Mail Stop AF / Art Unit 1772>, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

<AMENDMENT AND RESPONSE TO OFFICE ACTION >

<Mail Stop AF / Art Unit 1772>  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Applicant hereby provides this paper in response to the Office Action mailed June

16, 2003. A petition for Extension of Time for two (2) months is also attached hereto.

Kindly amend the application as follows.

AMENDMENTS TO THE CLAIMS begin on page 2 of this paper.

REMARKS/ARGUMENTS begin on page 3 of this paper.

I certify that this correspondence, along with any documents referred to therein, is being <transmitted by facsimile on November, 17 2003 to Art Unit 1772 at FAX no. 703-872-9311 / deposited with the United States Postal Service on November, 17 2003 as First Class Mail in an envelope with sufficient postage addressed to <Mail Stop AF / Art Unit 1772>, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.